

# S. Bravo Systems, Inc.

## Dispenser Containment Cross Reference Chart

### BENNETT

BENNETT Model No#	Series x - - - BENNETT - 4 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small	BENNETT Model No#	Series x - - - BENNETT - 4 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
3722	x420-A	F, M or P	2		S	4027	x405	F, M or P	1		S
3724	x405	F, M or P	1		S	4112	x405	F, M or P	1		S
3725	x420-B	F, M or P	2		S	4113	x405	F, M or P	1		S
3727	x405	F, M or P	1		S	4114	x405	F, M or P	1		S
3782	x405	F, M or P	1		S	4115	x405	F, M or P	1		S
3788	x405	F, M or P	1		S	4122	x420-A	F, M or P	2		S
3789	x405	F, M or P	1		S	4124	x405	F, M or P	1		S
3792	x405	F, M or P	1		S	4125	x420-B	F, M or P	2		S
3912	x405	F, M or P	1		S	4127	x405	F, M or P	1		S
3913	x405	F, M or P	1		S	6012	x415-3	F, M or P	1		S
3914	x405	F, M or P	1		S	6013	x415-3	F, M or P	1		S
3915	x405	F, M or P	1		S	6022	x415-5	F, M or P	2		S
3922	x420-A	F, M or P	2		S	6024	x415-3	F, M or P	1		S
3924	x405	F, M or P	1		S	6025	x415-5	F, M or P	2		S
3925	x420-B	F, M or P	2		S	6027	x415-3	F, M or P	1		S
3927	x405	F, M or P	1		S	7011	x430-5	F, M or P	2		S
4012	x405	F, M or P	1		S	7012	x430-5	F, M or P	2		S
4013	x405	F, M or P	1		S	7022	x430-5	F, M or P	2		S
4014	x405	F, M or P	1		S	7024	x430-5	F, M or P	2		S
4015	x405	F, M or P	1		S	7211	x430-5	F, M or P	2		S
4022	x420-A	F, M or P	2		S	7212	x430-5	F, M or P	2		S
4024	x405	F, M or P	1		S	7222	x430-5	F, M or P	2		S
4025	x420-B	F, M or P	2		S	7224	x430-5	F, M or P	2		S
B24	x405	F, M or P	1		S	8022	x410	F, M or P	3		L
C12	x405	F, M or P	1		S	8033R	x410	F, M or P	3		L
C13	x405	F, M or P	1		S	8033L	x410	F, M or P	3		L
C22	x420	F, M or P	1		S	8036	x410	F, M or P	3		L
C24	x405	F, M or P	1		S	9000	x425-SP	F, M or P	3		L
C25	x420-B	F, M or P	1		S	9022	x425	F, M or P	4		L
C27	x405	F, M or P	1		S	9024	x425	F, M or P	4		L
R12	x405	F, M or P	1		S	9033	x425	F, M or P	4		L
R13	x405	F, M or P	1		S	9036	x425	F, M or P	4		L
R22	x420	F, M or P	1		S	9044	x425	F, M or P	4		L
R25	x420-B	F, M or P	1		S	9048	x425	F, M or P	4		L
R27	x405	F, M or P	1		S	9436	x426	F, M or P	2		L

**NOTE:** Information provided by Bravo Systems are deemed accurate but information must be verified with Dispensers manufacturer and installing contractor. It is the responsibility of the end user to verify that the correct parts are ordered per installation.

## GASBOY

GASBOY Model No#	Series x - - - GASBOY - 6 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small	GASBOY Model No#	Series x - - - GASBOY - 6 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
52	x630	F, M or P	1		S	8753 DRDX	x655	F, M or P	1*	1†	S
52 A	x630	F, M or P	1		S	8753 DRDXTW-1	x655-w/o Sat	F, M or P	1		S
52 AEK	x630	F, M or P	1		S	8753 DRDXTW-2	x650	F, M or P	2		S
52 AEK w/RCD	x630	F, M or P	1		S	8753 DTW-2	x635-5	F, M or P	2		S
52 C	x630	F, M or P	1		S	8753 E	x655-w/o Sat	F, M or P	1		S
53 A	x630	F, M or P	1		S	8753 ETW-2	x635-5	F, M or P	2		S
53 AC	x630	F, M or P	1		S	8753 ETW1	x635-3	F, M or P	1		S
53 AEK	x630	F, M or P	1		S	8753 EX	x655-w/o Sat	F, M or P	1		S
53 AQRDX	x625	F, M or P	1		S	8753 ETW-2	x635-5	F, M or P	2		S
53 ARDX-C + EK	x630	F, M or P	1		S	8753 EXTW1	x635-3	F, M or P	1		S
150	x610	F, M or P	1	1†	S	8852 DRDX	x655	F, M or P	1*	1†	S
150 C	x625	F, M or P	1		S	9140	x635-3	F, M or P	1		S
150 RDXS	x610 w/o Sat.	F, M or P	1		S	9140 A	x635-3	F, M or P	1		S
150 S	x640	F, M or P	1		S	9140 AX w/o Sat.	x635-3	F, M or P	1		S
215 A	x605/A	F, M or P	1		S	9140 RDXS (w/Sat.)	x635-3 w/s	F, M or P	1	1†	S
215 S	x605	F, M or P	1		S	9140X	x635-3	F, M or P	1		S
216 A	x605/A	F, M or P	1*		S	9150	x655-w/o Sat	F, M or P	1		S
216 S	x605	F, M or P	1		S	9150 w/Sat.	x656	F, M or P	1	1†	S
390	x660	F, M or P	1		S	9150X	x655-w/o Sat	F, M or P	1		S
390 R	x660	F, M or P	1		S	9152	x655-w/o Sat	F, M or P	1		S
390 SST	x660	F, M or P	1		S	9152 A w/o Sat.	x655-w/o Sat	F, M or P	1		S
513 X	x670	F, M or P	3		L	9152 ATW1 w/o Sat.	x635-3	F, M or P	1		S
526 X	x670	F, M or P	3		L	9152 ATW2	x635-5	F, M or P	2		S
1500 RDX	x665	F, M or P	2		M	9152 AX w/o Sat.	x655-w/o Sat	F, M or P	1		S
1500 RDXSC	x620	F, M or P	1	2†	M	9152 AXTW1 w/o Sat.	x635-3	F, M or P	1		S
1500 RDXSC	x620-3	F, M or P	1		M	9152 AXTW2	x635-5 w/Sat 2-A	F, M or P	2	2†	S
2150 ARDX (w/2 Sat.)	x615	F, M or P	1*	2†	S	9152 RDX	x655-w/o Sat	F, M or P	1		S
2150 ARDX-1	x640	F, M or P	1		S	9152 RDXTW-1	x635-3 w/s1	F, M or P	1*	1†	S
2150 ARDXTW-2	x645	F, M or P	2		S	9152 RDXTW-2	x635-5	F, M or P	2		S
2150 ARDX (w/o Sat.)	x615-w/o Sat	F, M or P	1		S	9152 TW-1	x635-3	F, M or P	1		S
8053 ARDXTW-1	x640	F, M or P	1		S	9152 TW-1HS	x635-3	F, M or P	1		S
8515 ORDXC/S/CS	x625	F, M or P	1		S	9152 TW-2	x635-5	F, M or P	2		S
8553 ARDXTW-1	x640	F, M or P	1		S	9152 X	x655-w/o Sat	F, M or P	1		S
8752 B	x655-w/o Sat	F, M or P	1		S	9152 XTW-1	x635-3	F, M or P	1		S
8752 BRDX	x655-w/o Sat	F, M or P	1		S	9152 XTW-2	x635-5	F, M or P	2		S
8752 BRDXTW-1	x655-w/o Sat	F, M or P	1		S	9153	x655-w/o Sat	F, M or P	1		S
8752 BRDXTW-2	x650	F, M or P	2		S	9153 A w/o Sat.	x655-w/o Sat	F, M or P	1		S
8752 BTW-1	x655-w/o Sat	F, M or P	1		S	9153 AHC	x655-w/o Sat	F, M or P	1		S
8752 BTW-2	x650	F, M or P	2		S	9153 ATW1M	x635-3	F, M or P	1		S
8752 DRDX	x655-w/o Sat	F, M or P	1		S	9153 ATW2	x635-5	F, M or P	2		S
8752 DRDX	x655	F, M or P	1*	1†	S	9153 AX w/o Sat	x655-w/o Sat	F, M or P	1		S
8752 DRDXTW-2	x650	F, M or P	2		S	9153 AXTW1 w/o Sat.	x635-3	F, M or P	1		S
8752 DTW-2	x650	F, M or P	2		S	9153 AXTW2	x635-5	F, M or P	2		S
8753 BRDXTW-1	x655-w/o Sat	F, M or P	1		S	9153 HC	x655-w/o Sat	F, M or P	1		S
8753 BRDXTW-2	x650	F, M or P	2		S	9153 MTW-1		F, M or P	1		S
8753 D	x655-w/o Sat	F, M or P	1		S	9153 RDX	x655-w/o Sat	F, M or P	1		S
8753 DHC	x655-w/o Sat	F, M or P	1		S	9153 RDX w/Sat.	x655*	F, M or P	1*	1†	S
8753 DRDX	x655-w/o Sat	F, M or P	1		S	9153 RDXTW-1	x635-3	F, M or P	1		S

**NOTE:** Information provided by Bravo Systems are deemed accurate but information must be verified with Dispensers manufacturer and installing contractor. It is the sole responsibility of the end user to verify that the correct parts are ordered per installation.

† Optional SAT-1 for 2000 - 3000 Series Needed  
BRKT-8000-ADJ for 4000 - 9000 Series Needed

\* Offsets Required - Consult Factory

# GASBOY

<b>GASBOY Model No#</b>	<b>Series x - - - GASBOY - 6 - -</b>	<b>F-Fiber M-Metal P-Poly</b>	<b>Inlet (Prod)</b>	<b>Outlet (Sat)</b>	<b>L-Large M-Med S-Small</b>	<b>GASBOY Model No#</b>	<b>Series x - - - GASBOY - 6 - -</b>	<b>F-Fiber M-Metal P-Poly</b>	<b>Inlet (Prod)</b>	<b>Outlet (Sat)</b>	<b>L-Large M-Med S-Small</b>
9153 RDXTW-1 w/Sat.	x635-3 w/s1*	F, M or P	1*	1†	S	9852 AX w/o Sat.	x655-w/o Sat	F, M or P	1		S
9153 RDXTW2	x635-5	F, M or P	2		S	9852 AXTW-1	x635-3	F, M or P	1		S
9153 TW-1	x635-3	F, M or P	1		S	9852 AXTW-2 w/o Sat.	x635-5	F, M or P	2		S
9153 TW-2	x635-5	F, M or P	2		S	9852 TW-2 w/o Sat.	x635-5	F, M or P	2		S
9153 X	x655-w/o Sat	F, M or P	1		S	9852 X w/o Sat.	x655-w/o Sat	F, M or P	1		S
9153 XTW-1	x635-3	F, M or P	1		S	9852 XTW-2 w/o Sat.	x635-5	F, M or P	2		S
9153 XTW-2	x635-5	F, M or P	2		S	9853	x655-w/o Sat	F, M or P	1		S
9840 A	x635-3	F, M or P	1		S	9853 A	x655-w/o Sat	F, M or P	1		S
9840 AX w/o Sat.	x635-3	F, M or P	1		S	9853 AHC	x655-w/o Sat	F, M or P	1		S
9850	x655-w/o Sat	F, M or P	1		S	9853 ATW1M	x635-3	F, M or P	1		S
9850 A w/o Sat.	x657-w/o Sat	F, M or P	1		S	9853 ATW2	x635-5	F, M or P	2		S
9850 AX w/o Sat.	x657-w/o Sat	F, M or P	1		S	9853 AX w/o Sat.	x655-w/o Sat	F, M or P	1		S
9850 AXTW-1w/o Sat	x635-3	F, M or P	1		S	9853 AXTW-1	x635-3	F, M or P	1		S
9850 AXTW-2 w/o Sat	x635-5	F, M or P	2		S	9853 AXTW-2 w/o Sat.	x635-5	F, M or P	2		S
9850 X w/o Sat.	x655-w/o Sat	F, M or P	1		S	9853 HC	x655-w/o Sat	F, M or P	1		S
9852	x655-w/o Sat	F, M or P	1		S	9853 TW-2 w/o Sat.	x635-5	F, M or P	2		S
9852 A	x655-w/o Sat	F, M or P	1		S	9853 X w/o Sat.	x655-w/o Sat	F, M or P	1		S
9852 ATW1	x635-3	F, M or P	1		S	9853 XTW-2 w/o Sat.	x635-5	F, M or P	2		S

# GASBOY ATLAS / K-SERIES

<b>GASBOY K-Series Model No#</b>	<b>Series x - - - GASBOY - 6 - -</b>	<b>F-Fiber M-Metal P-Poly</b>	<b>Inlet (Prod)</b>	<b>Outlet (Sat)</b>	<b>L-Large M-Med S-Small</b>	<b>GASBOY K-Series Model No#</b>	<b>Series x - - - GASBOY - 6 - -</b>	<b>F-Fiber M-Metal P-Poly</b>	<b>Inlet (Prod)</b>	<b>Outlet (Sat)</b>	<b>L-Large M-Med S-Small</b>
8152K	X670 PUMP	F, M or P	1		S	9152KXTW2	X675	F, M or P	2		S
8152KTW1	X670 PUMP	F, M or P	1		S	9153K	X670 PUMP	F, M or P	1		S
8152KTW2	X675 PUMP	F, M or P	2		S	9153KTW2	X675 PUMP	F, M or P	2		S
8152KXTW2	X675	F, M or P	2		S	9153KX	X670	F, M or P	1		S
8153K	X670 PUMP	F, M or P	1		S	9153KX-TW-1	X670	F, M or P	1		S
8153KTW2	X675 PUMP	F, M or P	2		S	9153KXTW2	X675	F, M or P	2		S
8153KX	X670	F, M or P	1		S	9215K	X605-A	F, M or P	1		S
8153KXTW2	X675	F, M or P	2		S	9840K	X670-3	F, M or P	1		S
8852K	X670 PUMP	F, M or P	1		S	9840KX	X670-3	F, M or P	1		S
8852KTW1	X670 PUMP	F, M or P	1		S	9850K	X670-3	F, M or P	1		S
8852KTW2	X675 PUMP	F, M or P	2		S	9850KX	X670-3	F, M or P	1		S
8852KXTW2	X675	F, M or P	2		S	9850KXTW2	X675-5	F, M or P	2		S
8853K	X670 PUMP	F, M or P	1		S	9852K	X670 PUMP	F, M or P	1		S
8853KTW2	X675 PUMP	F, M or P	2		S	9852KTW1	X670 PUMP	F, M or P	1		S
8853KX	X670	F, M or P	1		S	9852KTW2	X675 PUMP	F, M or P	2		S
8853KXTW2	X675	F, M or P	2		S	9852KX	X670	F, M or P	1		S
9140K	X670 PUMP	F, M or P	1		S	9852KXTW1	X670	F, M or P	1		S
91140KX	X670	F, M or P	1		S	9852KXTW2	X675	F, M or P	2		S
9152K	X670 PUMP	F, M or P	1		S	9853K	X670 PUMP	F, M or P	1		S
9152KTW1	X670 PUMP	F, M or P	1		S	9853KTW2	X675 PUMP	F, M or P	2		S
9152KTW2	X675 PUMP	F, M or P	2		S	9853KX	X670	F, M or P	1		S
9152KX	X670	F, M or P	1		S	9853KXTW1	X670-3	F, M or P	1		S
9152KXTW1	X670	F, M or P	1		S	9853KXTW2	X675	F, M or P	2		S

**NOTE:** Information provided by Bravo Systems are deemed accurate but information must be verified with Dispensers manufacturer and installing contractor. It is the sole responsibility of the end user to verify that the correct parts are ordered per installation.

† Optional SAT-1 for 2000 - 3000 Series Needed  
BRKT-8000-ADJ for 4000 - 9000 Series Needed

\* Offsets Required - Consult Factory

# GASBOY Q-SERIES

GASBOY Q-Series Model No#	Series x - - - GASBOY - 6 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
215Q-605A	x605-A	F, M or P	1		S
215QTW2	X605-2Q	F, M or P	2		S
8753Q	x635-52Q	F, M or P	1*		S
8753QTW1M	x635	F, M or P	1		S
8753QTW2	x635-52QTW2	F, M or P	2*		S
8753QX W/2SAT	x635-52QX	F, M or P	1	2†*	S
8753QX	x635-QX	F, M or P	1		S
8753QXTW1	x635-3	F, M or P	1		S
8753QXTW2 W/2SAT	x635-52QXTW2	F, M or P	2	2†*	S
8753QXTW2 W 1SAT	x635-52QXTW2-1S	F, M or P	2	1†*	S
8753QXTW2 W/O SAT	x635-QXTW2	F, M or P	2		S
9140Q	x635-3	F, M or P	1		S
9140QX	x635-3	F, M or P	1		S
9140QX W/1SAT	x635-3 40QX	F, M or P	1	1†*	S
9152Q	x635-52Q	F, M or P	1*		S
9152QTW1	x635-52QTW1	F, M or P	1*		S
9152QX	x635-QX	F, M or P	1		S
9152QXTW2 W/2SAT	x635-52QXTW2	F, M or P	2	2†*	S
9152QXTW2 W/1SAT	x635-52QXTW2-1S	F, M or P	2	1†*	S
9152QXTW2 W/O SAT	x635-QXTW2	F, M or P	2		S
9152QXW1 W/OSAT	x635-3	F, M or P	1		S
9152QXW1 W/1SAT	x635-3 40QX	F, M or P	1	1†*	S
9152QXW1 W/2SAT	x635-3 52QXTW1	F, M or P	1	2†	S
9153Q W/O SAT	x635-52Q	F, M or P	1*		S
9153QTW1M	x635-3	F, M or P	1		S
9153QTW2	x635-52QTW2	F, M or P	2		S
9153QX W/1SAT	x635-52QX	F, M or P	1	1*†	S
9153QXTW1 W/OSAT	x635-3	F, M or P	1		S
9153QXTW1 W/1SAT	x635-3 40QX	F, M or P	1	1†	S

GASBOY Q-Series Model No#	Series x - - - GASBOY - 6 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
9153QXTW1 W/2SAT	x635-3 52QXTW1	F, M or P	1	2†	S
9153QXTW2 W/2SAT	x635-52QXTW2	F, M or P	2	2†*	S
9153QXTW2 W/1SAT	x635-52QXTW2-1S	F, M or P	2	1†*	S
9153QXTW2 W/OSAT	x635-QXTW2	F, M or P	2		S
9840Q W/OSAT	x635-3	F, M or P			S
9840Q W/1SAT	x635-3 40QX	F, M or P	1	1†*	S
9852Q	x635-52Q	F, M or P	1*		S
9852QTW1	x635-52QTW1	F, M or P	1*		S
9852QTW2	x635-52QTW	F, M or P	2*		S
9852QX W/1SAT	x635-52QX	F, M or P	1	1†*	S
9852QX W/OSAT	x635-QX	F, M or P	1		S
9852QXTW1 W/O SAT	x635-3	F, M or P	1		S
9852QXTW1 W/1SAT	x635-3 40QX	F, M or P	1	1†*	S
9852QXTW1 W/2SAT	x635-3 52QXTW1	F, M or P	1	2†*	S
9852QXTW2 W/O SAT	x635-QXTW2	F, M or P	2		S
9852QXTW2 W/1SAT	x635-52QXTW2-1S	F, M or P	2	1†*	S
9852QXTW2 W/2SAT	x635-52QXTW2	F, M or P	2	2†*	S
9853Q	x635-52Q	F, M or P	1*		S
9853QTW1M	x635-3	F, M or P	1		S
9853QTW2	x635-52QTW	F, M or P	2*		S
9853QX W/1SAT	x635-52QX	F, M or P	1	1†*	S
9853QX W/OSAT	x635-QX	F, M or P	1		S
9853QXTW1 W/OSAT	x635-3	F, M or P	1		S
9853QXTW1 W/1SAT	x635-3 40QX	F, M or P	1	1†*	S
9853QXTW1 W/2SAT	x635-3 52QXTW1	F, M or P	1	2†*	S
9853QXTW2 W/2SAT	x635-52QXTW2	F, M or P	2	2†*	S
9853QXTW2 W/1SAT	x635-52QXTW2-1S	F, M or P	2	1†*	S
9853QXTW2 W/OSAT	x635-QXTW2	F, M or P	2		S

**NOTE:** Information provided by Bravo Systems are deemed accurate but information must be verified with Dispensers manufacturer and installing contractor. It is the sole responsibility of the end user to verify that the correct parts are ordered per installation.

† Optional SAT-1 for 2000 - 3000 Series Needed  
BRKT-8000-ADJ for 4000 - 9000 Series Needed

\* Offsets Required - Consult Factory

# GILBARCO

GILBARCO Model No#	Series x - - - GILBARCO - 3 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
154-3, O, R, S	x310-3	F, M or P	1		S
164-3, O, R, S	x310-3	F, M or P	1		S
251-O, R	x310-3	F, M or P	1		S
252-O	x310-5	F, M or P	2		S
252-R	x320	F, M or P	2		S
261-O, R	x310-3	F, M or P	1		S
262-O	x310-5	F, M or P	2		S
262-R	x320	F, M or P	2		S
625, 3, 5, R, S	x310-3	F, M or P	1		S
655-1, 3, R	x310-3	F, M or P	1		S
656-2	x320	F, M or P	2		S
656-3	x311	F, M or P	2		S
684-1, 3, 5, R, S	x310-3	F, M or P	1		S
1210 MPD	x305	F, M or P	4		L
5625-WSat	x346	F, M or P	1*	1†	S
5627-WSat	x340	F, M or P	1		S
AB2021	x360-5	F, M or P	2		S
AC1921 A	x310-3	F, M or P	1		S
AC1921 A-S1	x310-3	F, M or P	1		S
AC1942 A	x360-3	F, M or P	1		S
AC2921 A	x360-3	F, M or P	1		S
AC3921 A	x320	F, M or P	2		S
AC4093-MS1	x336	F, M or P	1		S
AC4921 A	x310-3	F, M or P	1		S
AC4922 A-MS1	x349	F, M or P	1*	1†	S
AC4942 A	x360-3	F, M or P	1		S
AC4942 A-MS1	x349	F, M or P	1*	1†	S
AC4982-MS1 Sat	x347	F, M or P	1*	1†	S
AC4992 A-MS1	x350	F, M or P	1	1†	S
AC5921 A	x310-3	F, M or P	1		S
AC5921 A-S1	x310-3	F, M or P	1		S
AC5922 A	x360-3	F, M or P	1		S
AC5942-MS1	x345	F, M or P	1*	1†	S
AC5942 A	x360-3	F, M or P	1		S
AC6093-S1	x355-A	F, M or P	2		S
AC6921 A	x310-5	F, M or P	2		S
AC6942 A	x360-5	F, M or P	2		S
AC6992 A-MS1	x335	F, M or P	2*	2†	S
AC7942 A-MS1	x348	F, M or P	1*	1†	S
AC7982 A-MS1	x348	F, M or P	1*	2†	S
AC7992 A-MS1	x355	F, M or P	2*	1†	S
AD1200	x330	F, M or P	4		L

GILBARCO Model No#	Series x - - - GILBARCO - 3 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
AD1210	x325	F, M or P	3		L
AE1210	x370	F, M or P	2		L
AE1220	x370	F, M or P	2		L
AE1230	x370	F, M or P	2		L
AE2210	x370	F, M or P	2		L
AE2220	x370	F, M or P	2		L
AE2230	x370	F, M or P	2		L
AF1220	x380	F, M or P	2		L
AF2220	x380	F, M or P	2		L
AK1210	x315	F, M or P	3		L
AK1220	x315	F, M or P	3		L
AL1210	x315	F, M or P	3		L
AL1220	x315	F, M or P	3		L
AL1230	x315	F, M or P	3		L
AL8210	x330	F, M or P	4		L
AL8220	x330	F, M or P	4		L
AL8230	x330	F, M or P	4		L
AL8230A	x330	F, M or P	4		L
AM1220	x360-5	F, M or P	2		S
AM2220	x320	F, M or P	2		S
AM3220	x360-5	F, M or P	2		S
AM4220	x320	F, M or P	2		S
AM5222	x310-3	F, M or P	1		S
AM5222 A	x360-3	F, M or P	1		S
AM6222	x310-3	F, M or P	1		S
AM6222 A	x360-3	F, M or P	1		S
AN1220	x315	F, M or P	3		L
AN1220 A	x315	F, M or P	3		L
AN2220	x315	F, M or P	3		L
AN4220	x330	F, M or P	4		L
AN8220	x330	F, M or P	4		L
AP1220	x380	F, M or P	2		L
AP1230 A	x315	F, M or P	3		L
AP2220	x315	F, M or P	3		L
AP8220 A	x332	F, M or P	3		L
AR1220	x315	F, M or P	3		L
AR2220	x315	F, M or P	3		L
AU1220	x315	F, M or P	3		L
AU1220 A	x370	F, M or P	2		L
AU2220	x315	F, M or P	3		L
AU2220 A	x370	F, M or P	2		L

† Optional SAT-1 for 2000 - 3000 Series Needed  
BRKT-8000-ADJ for 4000 - 9000 Series Needed

\* Offsets Required - Consult Factory

## GILBARCO ADVANTAGE

GILBARCO ADVANTAGE Model No#	Series x - - - GILBARCO - 3 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
B04XXX	x365	F, M or P	3**		L
B05XXX	x365	F, M or P	3**		L
B06XXX	x375	F, M or P	4**		L
B07XXX	x375	F, M or P	4**		L
B20XXX	x377-3	F, M or P	1**		M
B21XXX	x377-3	F, M or P	1**		M
B42XXX	x377-5	F, M or P	2**		M
B43XXX	x377-5	F, M or P	2**		M
B64XXX	x375-B	F, M or P	2**		L
B65XXX	x375-B	F, M or P	2**		L
B78XXX	x377-5	F, M or P	2**		M
B79XXX	x367	F, M or P	2**		L
B7AXXX	x377-5	F, M or P	2**		M
B7BXXX	x367	F, M or P	2**		L
B7CXXX	x365	F, M or P	3**		L
B7DXXX	x365	F, M or P	3**		L
B7EXXX	x377-5	F, M or P	2**		M
B7FXXX	x367	F, M or P	2**		L
B7GXXX	2377-5	F, M or P	2**		M
B7HXXX	x367	F, M or P	2**		L
B7IXXX	x365	F, M or P	3**		L
B7JXXX	x365	F, M or P	3**		L
B7KXXX	x377-5	F, M or P	2**		M
B7LXXX	x367	F, M or P	2**		L
B7MXXX	x365	F, M or P	3**		L
B7NXXX	x377-5	F, M or P	2**		M
B7OXXX	x367	F, M or P	2**		L
B7PXXX	x365	F, M or P	3**		L
B84XXX	x365	F, M or P	3**		L
B85XXX	x365	F, M or P	3**		L
B87XXX	x375	F, M or P	4**		L
BD0	x377-3	F, M or P	1**		M
BD1	x377-5	F, M or P	2**		M

## GILBARCO ECLIPSE

GILBARCO ECLIPSE Model No#	Series x - - - GILBARCO - 3 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
EG0	x343	F, M or P	3		M
EL0	x343	F, M or P	3		M
EL1	x343	F, M or P	3		M
EL2	x343	F, M or P	3		M
EL3	x343	F, M or P	3		M
EN0	x342	F, M or P	2		M
EN1	x342	F, M or P	2		M
EN2	x342	F, M or P	2		M
EN3	x342	F, M or P	2		M

## GILBARCO ENCORE

GILBARCO ENCORE Model No#	Series x - - - GILBARCO - 3 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
NA0	x381	F, M or P	1		L
NA1	x382	F, M or P	2		L
NA2	x383	F, M or P	3		L
NA3	x384	F, M or P	4		L
NG0	x383	F, M or P	3		L
NG1	x384	F, M or P	4		L
NL0	x383	F, M or P	3		L
NL1	x383	F, M or P	3		L
NL2	x383	F, M or P	3		L
NL3	x383	F, M or P	3		L
NN0	x382	F, M or P	2		L
NN1	x382	F, M or P	2		L
NN2	x382	F, M or P	2		L
NN3	x382	F, M or P	2		L
NP3 SINGLE MASTER	x385 WX	F, M or P	1	1†	L
NP3 DUAL MASTER	x385 WXYZ	F, M or P	2	2†	L
NP4	x385 WXY	F, M or P	2	1†	L
NP5 (1 SIDE)	x385 X	F, M or P	1		L
NP5 (2 SIDES)	x385 XY	F, M or P	2		L

\*\* Double Poppet Shear Valves Recommended by Gilbarco

† Optional SAT-1 for 2000 - 3000 Series Needed  
BRKT-8000-ADJ for 4000 - 9000 Series Needed

\* Offsets Required - Consult Factory

**NOTE:** Information provided by Bravo Systems are deemed accurate but information must be verified with Dispensers manufacturer and installing contractor. It is the sole responsibility of the end user to verify that the correct parts are ordered per installation.

# GILBARCO LEGACY SERIES

GILBARCO LEGACY Model No#	Series x - - - GILBARCO - 3 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
JC10	x390-A	F, M or P	1		S
JC1000	x390-A	F, M or P	1		S
JC11	x390-A	F, M or P	1		S
JC1100	x390-A	F, M or P	1		S
JC12	x390-AB	F, M or P	2		S
JC1200	x390-AB	F, M or P	2		S
JC1300	x390-A	F, M or P	1		S
JC1500	x390-AB	F, M or P	2		S
JCA000	x390-C	F, M or P	1		S
JCA1	x390-C	F, M or P	1		S
JCA100	x390-C	F, M or P	1		S
JCA2	x390-CD	F, M or P	2		S
JCA200	x390-CD	F, M or P	2		S
JCA300	x390-C	F, M or P	1		S
JCA400	x390-C	F, M or P	1		S
JCA500	x390-CD	F, M or P	2		S
JCAO	x390-C	F, M or P	1		S
JH1000	x390-A	F, M or P	1		S
JH11	x390-A	F, M or P	1		S
JH1100	x390-A	F, M or P	1		S
JH12	x390-AB	F, M or P	2		S
JH1200	x390-AB	F, M or P	2		S
JH1300	x390-A	F, M or P	1		S
JH1500	x390-AB	F, M or P	2		S
JHA000	x390-C	F, M or P	1		S
JHA1	x390-C	F, M or P	1		S
JHA100	x390-C	F, M or P	1		S
JHA2	x390-CD	F, M or P	2		S
JHA200	x390-CD	F, M or P	2		S
JHA300	x390-C	F, M or P	1		S
JHA400	x390-C	F, M or P	1		S
JHA500	x390-CD	F, M or P	2		S
JHAO	x390-C	F, M or P	1		S
JHB300	x391-BC	F, M or P	1	1†	S
JHB310	x391A-AB	F, M or P	1	1†	S
JHB400	x391-BC	F, M or P	1	1†	S

GILBARCO LEGACY Model No#	Series x - - - GILBARCO - 3 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
JHB410	x391A-ABD	F, M or P	1	2†	S
JHB510	x391A-ABCD	F, M or P	2	2†	S
JHB600	x392-AB*	F, M or P	1*	1†	S
JHB800	x392-ABCD*	F, M or P	2*	2†	S
JHC310	x391A-A	F, M or P	1		S
JHC510	x391A-AD	F, M or P	2		S
JHC600	x392-A	F, M or P	1		S
JHC800	x392-AD	F, M or P	2		S
JHD500	x391-ABC*	F, M or P	1*	2†	S
JHD510	x391A-ABD	F, M or P	2	1†	S
JHD800	x392-ABD*	F, M or P	2*	1†	S
JM1000	x390-A	F, M or P	1		S
JM11	x390-A	F, M or P	1		S
JM1100	x390-A	F, M or P	1		S
JM12	x390-AB	F, M or P	2		S
JM1200	x390-AB	F, M or P	2		S
JM1300	x390-A	F, M or P	1		S
JM1500	x390-AB	F, M or P	2		S
JMA000	x390-C	F, M or P	1		S
JMA1	x390-C	F, M or P	1		S
JMA100	x390-C	F, M or P	1		S
JMA2	x390-CD	F, M or P	2		S
JMA200	x390-CD	F, M or P	2		S
JMA300	x390-C	F, M or P	1		S
JMA400	x390-C	F, M or P	1		S
JMA500	x390-CD	F, M or P	2		S
JMAO	x390-C	F, M or P	1		S

† Optional SAT-1 for 2000 - 3000 Series Needed  
BRKT-8000-ADJ for 4000 - 9000 Series Needed

\* Offsets Required - Consult Factory

**NOTE:** Information provided by Bravo Systems are deemed accurate but information must be verified with Dispensers manufacturer and installing contractor. It is the sole responsibility of the end user to verify that the correct parts are ordered per installation.

# SCHLUMBERGER

SCHLUMBERGER Model No#	Series x - - - SCHLUMBERGER - 8 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small	SCHLUMBERGER Model No#	Series x - - - SCHLUMBERGER - 8 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
11XX1	x875	F, M or P	1		M	25XX1	x880	F, M or P	2		M
22XX1	x880	F, M or P	2		M	25XX2	x860	F, M or P	2		L
22XX2	x860	F, M or P	2		L	33XX2	x865	F, M or P	3		L
23XX1	x880	F, M or P	2		M	34XX2	x865	F, M or P	3		L
23XX2	x860	F, M or P	2		L	35XX2	x865	F, M or P	3		L
24XX1	x880	F, M or P	2		M	36XX2	x865	F, M or P	3		L
24XX2	x860	F, M or P	2		L	44XX2	x870	F, M or P	4		L

# SOUTHWEST

SOUTHWEST Model No#	Series x - - - SOUTHWEST- 3 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small	GILBARCO LEGACY Model No#	Series x - - - SOUTHWEST- 3 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
435	x805-5	F, M or P	2		S	4200	x850	F, M or P	2		M
435-1	x805-3	F, M or P	1		S	4220	x850	F, M or P	2		M
440	x805-5	F, M or P	2		S	4300	x835	F, M or P	3		L
440-1	x805-3	F, M or P	1		S	4330	x835	F, M or P	3		L
610	x825-3	F, M or P	1		S	4330-7VT	x835	F, M or P	3		L
623	x825-3	F, M or P	1		S	4330 Blender	x835-B	F, M or P	2		L
633	x825-3	F, M or P	1		S	4331	x835	F, M or P	3		L
640	x825-3	F, M or P	1		S	4331 2A	x835	F, M or P	3		L
640	x805-5	F, M or P	2		S	4331-6	x835	F, M or P	3		L
640	x825-5	F, M or P	2		S	4400	x830	F, M or P	4		L
640S	x825-3	F, M or P	1		S	4401	x830	F, M or P	4		L
650	x825-3	F, M or P	1		S	4440	x830	F, M or P	4		L
650	x805-5	F, M or P	2		S	4440 Blender	x835	F, M or P	3		L
650 Manifold Twin	x825-5	F, M or P	2		S	4441	x830	F, M or P	4		L
660	x825-3	F, M or P	1		S	4442	x830	F, M or P	4		L
661	x825-3	F, M or P	1		S	4610	x842	F, M or P	1*	1†	M
662	x825-3	F, M or P	1		S	4611-2A-CL	x841	F, M or P	1*	2†	M
2022-3	x845	F, M or P	2		M	4620	x855	F, M or P	2		M
2100 MLPC-2	x815	F, M or P	1		S	4801	x843	F, M or P	1		M
2100 PD 3 Hoses	x815	F, M or P	1		S	4801-CL Satellite	x843	F, M or P	1		M
2300-2-3-4-5	x810	F, M or P	3		L						
2400-2-3-4-5	x820	F, M or P	4		L						
4100	x840	F, M or P	1		M						
4110	x840	F, M or P	1		M						
4110-2A MPD-1	x840	F, M or P	1		M						
4110-7-T	x840	F, M or P	1		M						

† Optional SAT-1 for 2000 - 3000 Series Needed  
BRKT-8000-ADJ for 4000 - 9000 Series Needed

\* Offsets Required - Consult Factory

**NOTE:** Information provided by Bravo Systems are deemed accurate but information must be verified with Dispensers manufacturer and installing contractor. It is the sole responsibility of the end user to verify that the correct parts are ordered per installation.

# TOKHEIM

TOKHEIM Model No#	Series x - - - TOKHEIM - 5 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
614A-R	x520	F, M or P	4		L
614A-R-EB	x520A	F, M or P	3		L
614A-R-V	x520	F, M or P	4		L
614A-V	x555	CALL	4		CALL
628-B	x525	F, M or P	3		L
628-RC	x520-B	F, M or P	2		L
628A	x555	CALL	4		CALL
628A-R	x520	F, M or P	4		L
628A-R-EB	x520A	F, M or P	3		L
628A-R-V	x520	F, M or P	4		L
628A-V	x555	CALL	4		CALL
785	x510-3	F, M or P	1		S
785-1-RC	x510-3	F, M or P	1		S
785-1-RC-TW	x510-3	F, M or P	1		S
785-1-RC-TW-AFC	x510-3	F, M or P	1		S
785-1-RC-TW-APC	x510-3	F, M or P	1		S
785-1-RC-TW-CC-PR	x510-3	F, M or P	1		S
785-1-TW-AFC	x510-3	F, M or P	1		S
785-1-TW-APC	x510-3	F, M or P	1		S
785-1-TW-CC-PR	x510-3	F, M or P	1		S
785-2-RC-TW	x510-5	F, M or P	2		S
785-2-TW	x510-5	F, M or P	2		S
785-2-TW-AFC	x510-5	F, M or P	2		S
785-2-TW-APC	x510-5	F, M or P	2		S
785-CC-PR	x510-3	F, M or P	1		S
785-HC	x510-3	F, M or P	1		S
785-HC-AFC	x510-3	F, M or P	1		S
785-HC-APC	x510-3	F, M or P	1		S
785-HV-S	x510-3B	F, M or P	1		S
785-M-HVR-LC-RC-PR	x510-3SAT-1	F, M or P	1	1†	S
785-MC	x510-3	F, M or P	1		S
785-MC-AFC	x510-3	F, M or P	1		S
785-MC-APC	x510-3	F, M or P	1		S
785-RC	x510-3	F, M or P	1		S
785-RC-APC	x510-3	F, M or P	1		S
785-RC-CC-PR	x510-3	F, M or P	1		S
785-RC-HC	x510-3	F, M or P	1		S
785-RC-HC-AFC	x510-3	F, M or P	1		S
785-RC-HC-APC	x510-3	F, M or P	1		S
785AFC	x510-3	F, M or P	1		S
785HV-M-RC-PR	x510-3SAT-1	F, M or P	1	1†	S
793	x550	F, M or P	1		S
1148	x545-3	F, M or P	1		S
1148-2-RC-TW	x545-5	F, M or P	2		S

TOKHEIM Model No#	Series x - - - TOKHEIM - 5 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
1148-TS-RC	x545-3	F, M or P	1		S
1148T-1-RC-TWIN	x545-3	F, M or P	1		S
1148T-RC	x545-3	F, M or P	1		S
1148TS	x545-3	F, M or P	1		S
1150-2-RC-TW	x545-5	F, M or P	2		S
1150AT-RC-ST	x545-3	F, M or P	1		S
1150AT-ST	x545-3	F, M or P	1		S
1150T	x545-3	F, M or P	1		S
1150T-RC	x545-3	F, M or P	1		S
1150T-RC-TWIN	x545-3	F, M or P	1		S
1150TS	x545-3	F, M or P	1		S
1150TS-RC	x545-3	F, M or P	1		S
1200	x510-5	F, M or P	2		S
1248	x510-3	F, M or P	1		S
1248-1-RC-TW	x510-3	F, M or P	1		S
1248-2-RC-TW	x510-5	F, M or P	2		S
1248-2-TW	x510-5	F, M or P	2		S
1248-RC	x510-3	F, M or P	1		S
1248-S	x510-3	F, M or P	1		S
1248-S-OIL	x510-3	F, M or P	1		S
2652A	x655-w/o Sat	F, M or P	1		S
2652ATW2	x635-5	F, M or P	2		S
2652AX	x655/A1	F, M or P	1	1†	S
2652AX w/o Sat	x655-w/o Sat	F, M or P	1		S
2652AXTW1 w/o Sat	x635-3	F, M or P	1		S
2652AXTW2 w/o Sat	x635-5	F, M or P	2		S
2653A	x655-w/o Sat	F, M or P	1		S
2653AHC	x655-w/o Sat	F, M or P	1		S
2653ATW1M	x635-3	F, M or P	1		S
2653ATW2	x635-5	F, M or P	2		S
2653AX	x655/A1	F, M or P	1	1†	S
2653AX w/o Sat	x655-w/o Sat	F, M or P	1		S
2653AXTW1 w/o Sat	x635-3	F, M or P	1		S
2653AXTW2 w/o Sat	x635-5	F, M or P	2		S
7215A	x605/A	F, M or P	1		S
7216A	x605/A	F, M or P	1		S
7540	x635-3	F, M or P	1		S
7540X	x635-3	F, M or P	1		S
7550X	x657	F, M or P	1	1†	S
7550XMS-C	x658	F, M or P	1	2†	S
7552A	x655-w/o Sat	F, M or P	1		S

† Optional SAT-1 for 2000 - 3000 Series Needed  
BRKT-8000-ADJ for 4000 - 9000 Series needed

\* Offsets Required Consult Factory

**NOTE:** Information provided by Bravo Systems are deemed accurate but information must be verified with Dispensers manufacturer and installing contractor. It is the sole responsibility of the end user to verify that the correct parts are ordered per installation.

TOKHEIM Model No#	Series x - - - TOKHEIM - 5 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
162	x510-3	F, M or P	1		S
162-1-RC-TW	x510-3	F, M or P	1		S
162-2-TW	x510-5	F, M or P	2		S
162FL-2-TW	x510-5	F, M or P	2		S
162FL-HV-RC	x510-3SQ	F, M or P	1		S
162FL-M-1-RC-TW	x510-3SAT-2	F, M or P	1*	2†	S
162FL-M-HV-RC	x510-3SAT-3	F, M or P	1*	1†	S
162FL-M-RC	x510-3SAT	F, M or P	1*	2†	S
162FL-MS-RC	x510-3SAT-2	F, M or P	1*	2†	S
162FL-S-HV-RC	x510-3M	F, M or P	1		S
162FL-S-RC	x510-3A	F, M or P	1		S
162L-2-TW	x510-5	F, M or P	2		S
162-RC	x510-3	F, M or P	1		S
222	x505	F, M or P	2		M
262	x510-3	F, M or P	1		S
262-2-TW	x510-5	F, M or P	2		S
262A	x510-3	F, M or P	1		S
262A-1-RC-TW-V1	x510-3	F, M or P	1		S
262A-1-TW	x510-3	F, M or P	1		S
262A-2-RC-TW	x510-5	F, M or P	2		S
262A-FL-M-HV-LCS-RC	x510-ASAT	F, M or P	1	1†	S
262A-FL-MM-HV-LCS-RC	x510-BSAT-2	F, M or P	2	2†	S
262A-FL-MS-HV-LCS-RC	x510-BSAT	F, M or P	2	1†	S
262A-FL-S-HV-LCS-RC	x510-A	F, M or P	1		S
262A-FL-SS-HV-LCS-RC	x510-B	F, M or P	2		S
262A-HS	x510-3	F, M or P	1		S
262A-RC	x510-3	F, M or P	1		S
262A-RC-V1	x510-3	F, M or P	1		S
262A-VC-1-RC-TW	x510-3	F, M or P	1		S
262A-VC-RC	x510-3	F, M or P	1		S
262AFL	x510-3	F, M or P	1		S
262AFL-1-RC-TW	x510-3	F, M or P	1		S
262AFL-1-TW	x510-3	F, M or P	1		S
262AFL-M-HV-LC-RC	x510-3SAT-3	F, M or P	1*	1†	S
262AFL-M-RC	x510-3SAT	F, M or P	1*	1†	S
262AFL-MS-RC	x510-3SAT-2	F, M or P	1*	2†	S
262AFL-RC	x510-3	F, M or P	1		S
262AFL-S-HV-2-RC-TW	x510-5SP*	F, M or P	1*	1†	S
262AFL-S-HV-2-RC-TW-PKWY	x510-5SP*	F, M or P	1*	1†	S
262AFL-S-HV-LC-RC	x510-3SP	F, M or P	1		S
262AFL-S-HV-RC-APC	x510-3M	F, M or P	1		S
262AFL-S-RC	x510-3A	F, M or P	1		S
262AFL-VC-1-RC-TW	x510-3	F, M or P	1		S
262AFL-VC-RC	x510-3	F, M or P	1		S

**NOTE:** Information provided by Bravo Systems are deemed accurate but information must be verified with Dispensers manufacturer and installing contractor. It is the sole responsibility of the end user to verify that the correct parts are ordered per installation.

TOKHEIM Model No#	Series x - - - TOKHEIM - 5 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
262FL-M-HV-RC-APC	x510-3SAT-3*	F, M or P	1*	1†	S
262FL-M-1-RC-TW	x510-3SAT-2*	F, M or P	1*	2†	S
262FL-M-RC	x510-3SAT*	F, M or P	1*	1†	S
262FL-MS-RC	x510-3SAT-2*	F, M or P	1*	2†	S
262FL-S-HV-RC-APC	x510-3M	F, M or P	1		S
262FL-S-RC	x510-3A	F, M or P	1		S
262FL-VC-2-RC-TW	x510-5	F, M or P	2		S
262FL-VC-RC	x510-3	F, M or P	1		S
262FL-VCT-1-RC-TW	x510-3	F, M or P	1		S
262FL-VCT-2-RC-TW	x510-5	F, M or P	2		S
262VC-1-RC-TW	x510-3	F, M or P	1		S
262VC-2-RC-TW	x510-5	F, M or P	2		S
262VC-RC	x510-3	F, M or P	1		S
262VCT-1-RC-TW	x510-3	F, M or P	1		S
262VCT-2-RC-TW	x510-5	F, M or P	2		S
262VCT-RC	x510-3	F, M or P	1		S
311	x535-3	F, M or P	1		M
311A	x535-3	F, M or P	1		M
311A-R	x535	F, M or P	2		M
312A-R	x535	F, M or P	2		M
312RC	x535	F, M or P	2		M
322	x535-3	F, M or P	1		M
322A	x535-3	F, M or P	1		M
322A-R	x535	F, M or P	2		M
322A-RB-B5	x535	F, M or P	2		M
322A-REB3	x535	F, M or P	2		M
324-RC	x535	F, M or P	2		M
324A-R	x535	F, M or P	2		M
330-L	x515-L	F, M or P	3		L
330-R	x515-R	F, M or P	3		L
333	x515-W	F, M or P	3		L
333B	x515-W	F, M or P	3		L
333C	x515-W	F, M or P	3		L
411A-R	x530	F, M or P	3		L
413A-R	x530	F, M or P	3		L
413A-R-EB	x540	F, M or P	2		L
413B	x530	F, M or P	3		L
413B-REB	x540	F, M or P	2		L
422A-R	x530	F, M or P	3		L
426A-R	x530	F, M or P	3		L
426B	x530	F, M or P	3		L
426B-REB	x540	F, M or P	2		L
444	x516	CALL	4		CALL
614-B	x525	F, M or P	3		L
614A	x555	CALL	4		CALL

† Optional SAT-1 for 2000 - 3000 Series Needed  
BRKT-8000-ADJ for 4000 - 9000 Series needed

\* Offsets Required Consult Factory

# TOKHEIM

TOKHEIM Model No#	Series x - - - TOKHEIM - 5 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
614A-R	x520	F, M or P	4		L
614A-R-EB	x520A	F, M or P	3		L
614A-R-V	x520	F, M or P	4		L
614A-V	x555	CALL	4		CALL
628-B	x525	F, M or P	3		L
628-RC	x520-B	F, M or P	2		L
628A	x555	CALL	4		CALL
628A-R	x520	F, M or P	4		L
628A-R-EB	x520A	F, M or P	3		L
628A-R-V	x520	F, M or P	4		L
628A-V	x555	CALL	4		CALL
785	x510-3	F, M or P	1		S
785-1-RC	x510-3	F, M or P	1		S
785-1-RC-TW	x510-3	F, M or P	1		S
785-1-RC-TW-AFC	x510-3	F, M or P	1		S
785-1-RC-TW-APC	x510-3	F, M or P	1		S
785-1-RC-TW-CC-PR	x510-3	F, M or P	1		S
785-1-TW-AFC	x510-3	F, M or P	1		S
785-1-TW-APC	x510-3	F, M or P	1		S
785-1-TW-CC-PR	x510-3	F, M or P	1		S
785-2-RC-TW	x510-5	F, M or P	2		S
785-2-TW	x510-5	F, M or P	2		S
785-2-TW-AFC	x510-5	F, M or P	2		S
785-2-TW-APC	x510-5	F, M or P	2		S
785-CC-PR	x510-3	F, M or P	1		S
785-HC	x510-3	F, M or P	1		S
785-HC-AFC	x510-3	F, M or P	1		S
785-HC-APC	x510-3	F, M or P	1		S
785-HV-S	x510-3B	F, M or P	1		S
785-M-HVR-LC-RC-PR	x510-3SAT-1	F, M or P	1	1†	S
785-MC	x510-3	F, M or P	1		S
785-MC-AFC	x510-3	F, M or P	1		S
785-MC-APC	x510-3	F, M or P	1		S
785-RC	x510-3	F, M or P	1		S
785-RC-APC	x510-3	F, M or P	1		S
785-RC-CC-PR	x510-3	F, M or P	1		S
785-RC-HC	x510-3	F, M or P	1		S
785-RC-HC-AFC	x510-3	F, M or P	1		S
785-RC-HC-APC	x510-3	F, M or P	1		S
785AFC	x510-3	F, M or P	1		S
785HV-M-RC-PR	x510-3SAT-1	F, M or P	1	1†	S
793	x550	F, M or P	1		S
1148	x545-3	F, M or P	1		S
1148-2-RC-TW	x545-5	F, M or P	2		S

TOKHEIM Model No#	Series x - - - TOKHEIM - 5 - - TOKHEIM - 6 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
1148-TS-RC	x545-3	F, M or P	1		S
1148T-1-RC-TWIN	x545-3	F, M or P	1		S
1148T-RC	x545-3	F, M or P	1		S
1148TS	x545-3	F, M or P	1		S
1150-2-RC-TW	x545-5	F, M or P	2		S
1150AT-RC-ST	x545-3	F, M or P	1		S
1150AT-ST	x545-3	F, M or P	1		S
1150T	x545-3	F, M or P	1		S
1150T-RC	x545-3	F, M or P	1		S
1150T-RC-TWIN	x545-3	F, M or P	1		S
1150TS	x545-3	F, M or P	1		S
1150TS-RC	x545-3	F, M or P	1		S
1200	x510-5	F, M or P	2		S
1248	x510-3	F, M or P	1		S
1248-1-RC-TW	x510-3	F, M or P	1		S
1248-2-RC-TW	x510-5	F, M or P	2		S
1248-2-TW	x510-5	F, M or P	2		S
1248-RC	x510-3	F, M or P	1		S
1248-S	x510-3	F, M or P	1		S
1248-S-OIL	x510-3	F, M or P	1		S
1250	x510-3	F, M or P	1		S
1250-1-RC-TWIN	x510-3	F, M or P	1		S
1250-1-TWIN	x510-3	F, M or P	1		S
1250-2-RC-TWIN	x510-5	F, M or P	2		S
1250-2-TWIN	x510-5	F, M or P	2		S
1250-2-TWIN-AFC	x510-5	F, M or P	2		S
1250-2-TWIN-APC	x510-5	F, M or P	2		S
1250A-2-TWIN-AFC	x510-5	F, M or P	2		S
1250A-2-TWIN-APC	x510-5	F, M or P	2		S
1250-HD	x510-3	F, M or P	1		S
1250-HS	x510-3	F, M or P	1		S
1250-OIL	x510-3	F, M or P	1		S
1250-RC	x510-3	F, M or P	1		S
1250-RC	x510-3	F, M or P	1		S
1250-S	x510-3	F, M or P	1		S
1250S-HD	x510-3	F, M or P	1		S
1250S-HS	x510-3	F, M or P	1		S
1250S-OIL	x510-3	F, M or P	1		S
2652A	x655-w/o Sat	F, M or P	1		S
2652ATW2	x635-5	F, M or P	2		S
2652AX	x655/A1	F, M or P	1	1†	S
2652AX w/o Sat	x655-w/o Sat	F, M or P	1		S

† Optional SAT-1 for 2000 - 3000 Series Needed  
BRKT-8000-ADJ for 4000 - 9000 Series needed  
\* Offsets Required Consult Factory

# TOKHEIM

TOKHEIM Model No#	Series x - - - TOKHEIM - 6 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
2652AXTW1 w/o Sat	x635-3	F, M or P	1		S
2652AXTW2 w/o Sat	x635-5	F, M or P	2		S
2653A	x655-w/o Sat	F, M or P	1		S
2653AHC	x655-w/o Sat	F, M or P	1		S
2653ATW1M	x635-3	F, M or P	1		S
2653ATW2	x635-5	F, M or P	2		S
2653AX	x655/A1	F, M or P	1	1†	S
2653AX w/o Sat	x655-w/o Sat	F, M or P	1		S
2653AXTW1 w/o Sat	x635-3	F, M or P	1		S
2653AXTW2 w/o Sat	x635-5	F, M or P	2		S
7215A	x605/A	F, M or P	1		S
7216A	x605/A	F, M or P	1		S
7540	x635-3	F, M or P	1		S
7540X	x635-3	F, M or P	1		S
7550X	x657	F, M or P	1	1†	S
7550XMS-C	x658	F, M or P	1	2†	S
7552A	x655-w/o Sat	F, M or P	1		S
7552ATW1	x635-3	F, M or P	1		S
7552ATW2	x635-5	F, M or P	2		S
7552AX	x655-w/o Sat	F, M or P	1		S
7552AXTW1	x635-3	F, M or P	1		S

TOKHEIM Model No#	Series x - - - TOKHEIM - 5 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
7552AXTW2	x635-5	F, M or P	2		S
7552RDX	x655-w/o Sat	F, M or P	1		S
7552TW-1	x635-3	F, M or P	1		S
7552TW-2	x635-5	F, M or P	2		S
7552X	x655-w/o Sat	F, M or P	1		S
7552XTW-1	x635-3	F, M or P	1		S
7552XTW-2	x635-5	F, M or P	2		S
7553	x655-w/o Sat	F, M or P	1		S
7553A	x655-w/o Sat	F, M or P	1		S
7553AHC	x655-w/o Sat	F, M or P	1		S
7553ATW2	x635-5	F, M or P	2		S
7553ATW1N	x635-3	F, M or P	1		S
7553AX	x655-w/o Sat	F, M or P	1		S
7553AXTW1	x635-3	F, M or P	1		S
7553AXTW2	x635-5	F, M or P	2		S
7553 MTW-1	x635-3	F, M or P	1		S
7553HC	x655-w/o Sat	F, M or P	1		S
7553RDX	x655-w/o Sat	F, M or P	1		S
7553X	x655-w/o Sat	F, M or P	1		S
7553XTW-2	x635-5	F, M or P	2		S

## TOKHEIM H-SERIES

TOKHEIM Model No#	Series x - - - TOKHEIM - 5 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
H312-RC	x535	F, M or P	2		M
H324-RC	x535	F, M or P	2		M

TOKHEIM Model No#	Series x - - - TOKHEIM - 5 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
H413-R	x530	F, M or P	3		L

## TOKHEIM H-SERIES REVISION-A

TOKHEIM Model No#	Series x - - - TOKHEIM - 5 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
H311A-R	x535	F, M or P	2		M
H312A-R	x535	F, M or P	2		M
H322A-R	x535	F, M or P	2		M
H322A-RB3	x535	F, M or P	2		M
H322A-R-B5	x535	F, M or P	2		M
H324A-R	x535	F, M or P	2		M
H324A-R	x535-3	F, M or P	1		M
H411A-R	x530	F, M or P	3		L
H413A-R	x530	F, M or P	3		L

TOKHEIM Model No#	Series x - - - TOKHEIM - 5 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large M-Med S-Small
H413A-R	x530	F, M or P	3		L
H413A-R-EB	x540	F, M or P	2		L
H422A-R	x530	F, M or P	3		L
H426A-R	x530	F, M or P	3		L
H426A-R-EB	x540	F, M or P	2		L
H426A-REB	x540	F, M or P	2		L
H614A-R-EB	x520A	F, M or P	3		L
H628A-R	x530	CALL	3		CALL
H628A-R-EB	x520A	CALL	3		CALL

**NOTE:** Information provided by Bravo Systems are deemed accurate but information must be verified with Dispensers manufacturer and installing contractor. It is the sole responsibility of the end user to verify that the correct parts are ordered per installation.

† Optional SAT-1 for 2000 - 3000 Series Needed  
BRKT-8000-ADJ for 4000 - 9000 Series needed

## TOKHEIM H-SERIES REVISION-B

TOKHEIM Model No#	Series x - - - TOKHEIM - 6 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large, M-Med S-Small
H311B-RB3-IV,V	x535	F, M or P	2		M
H311B-RB5,IV,V	x535	F, M or P	2		M
H312B-R-IV,V	x535	F, M or P	2		M
H322B-R	x535-3	F, M or P	1		M
H322B-RB3-IV,V	x535	F, M or P	2		M
H322B-RB5-IV,V	x535	F, M or P	2		M
H322B-REB	x535	F, M or P	2		M
H324B-R-IV,V	x535	F, M or P	2		M
H411B-R	x530	F, M or P	3		L
H411B-REB-IV	x540	F, M or P	2		L
H411B-REB-V	x540	F, M or P	2		L
H411B-R-IV	x530	F, M or P	3		L
H411B-R-V	x530	F, M or P	3		L
H412B-RB3-IV	x522-B	F, M or P	3		L
H412B-RB3-V	x522-B	F, M or P	3		L
H412B-R-IV	x522	F, M or P	4		L
H412B-R-V	x522	F, M or P	4		L
H413B-REB-IV	x540	F, M or P	2		L
H413B-REB-V	x540	F, M or P	2		L
H413B-R-IV	x530	F, M or P	3		L
H413B-R-V	x530	F, M or P	3		L
H414B-R-IV	x522	F, M or P	4		L
H414B-R-V	x522	F, M or P	4		L
H422B-R	x530	F, M or P	3		L
H422B-RB3,IV,V	x540	F, M or P	2		L

TOKHEIM Model No#	Series x - - - TOKHEIM - 5 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large, M-Med S-Small
H422B-RB5-IV,V	x540	F, M or P	2		L
H422B-REB-IV	x540	F, M or P	2		L
H422B-REB-V	x540	F, M or P	2		L
H422B-R-IV	x530	F, M or P	3		L
H422B-R-V	x530	F, M or P	3		L
H424B-RB30-IV	x522-B	F, M or P	3		L
H424B-RB30-V	x522-B	F, M or P	3		L
H424B-RB4	x522-B	F, M or P	3		L
H424B-REB-IV	x522-B	F, M or P	3		L
H424B-REB-V	x522-B	F, M or P	3		L
H424B-R-IV	x522	F, M or P	4		L
H424B-R-V	x522	F, M or P	4		L
H426B-R	x530	F, M or P	3		L
H426B-REB	x540	F, M or P	2		L
H426B-REB-IV	x540	F, M or P	2		L
H426B-REB-V	x540	F, M or P	2		L
H426B-R-IV	x530	F, M or P	3		L
H426B-R-V	x530	F, M or P	3		L
H428B-REB-IV	x522-B	F, M or P	3		L
H428B-REB-V	x522-B	F, M or P	3		L
H428B-R-IV	x522	F, M or P	4		L
H428B-R-V	x522	F, M or P	4		L
H444B-R-IV	x522	F, M or P	4		L
H444B-R-V	x522	F, M or P	4		L

## TOKHEIM H-SERIES REVISION-C

TOKHEIM Model No#	Series x - - - TOKHEIM - 5 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large, M-Med S-Small
H311C-RB3 & 5-IV, V	x536-5	F, M or P	2		M
H311C-R-IV, V	x536-3	F, M or P	1		M
H312C-R-IV, V	x536-5	F, M or P	2		M
H322C-RB3 & 5-IV, V	x536-5	F, M or P	2		M
H322C-R-IV, V	x536-3	F, M or P	1		M
H324C-R-IV, V	x536-5	F, M or P	2		M
H412C-R-IV, V	x523	F, M or P	4		L
H413C-REB-IV, V	x541	F, M or P	2		L
H413C-R-IV, V	x532	F, M or P	3		L

TOKHEIM Model No#	Series x - - - TOKHEIM - 5 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large, M-Med S-Small
H414C-R-IV, V	x523	F, M or P	4		L
H422C-RB3/4 & 5-IV, V	x541	F, M or P	2		L
H422C-R-IV, V	x532	F, M or P	3		L
H424C-RB3/4-IV, V	x523-B	F, M or P	3		L
H424C-R-IV, V	x523	F, M or P	4		L
H426C-REB-IV, V	x541	F, M or P	2		L
H426C-R-IV, V	x532	F, M or P	3		L
H428C-R-IV, V	x523	F, M or P	4		L

**NOTE:** Information provided by Bravo Systems are deemed accurate but information must be verified with Dispensers manufacturer and installing contractor. It is the sole responsibility of the end user to verify that the correct parts are ordered per installation.

## WAYNE DRESSER

WAYNE DRESSER Model No#	Series x - - - WAYNE - 2 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large, M-Med S-Small	WAYNE DRESSER Model No#	Series x - - - WAYNE - 2 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large, M-Med S-Small
4-Hose Quadro	x240	F, M or P	2		S	700 Series	x270	F, M or P	1		S
140 UK	x245	F, M or P	1		S	900 Series Com. w/Sat.	x226	F, M or P	1*	2†	S
160	x240	F, M or P	2		S	DD1/490-IL/G Series	x260	F, M or P	4		L
160 Series	x245	F, M or P	1		S	DD3/490-IL/G Series	x260	F, M or P	4		L
357	x290-B	F, M or P	1		S	DL/390-IL/19	x255	F, M or P	3*		L
357	x290-B	F, M or P	1		S	DL/390-IL/19HV	x255	F, M or P	3*		L
358	x290	F, M or P	2		S	DL/390-IL/19R	x255	F, M or P	3*		L
361	x245	F, M or P	1		S	DL/390-IL/19RHV	x255	F, M or P	3*		L
362	x245	F, M or P	1		S	DL1/390-IL/19QRV	x255	F, M or P	3*		L
363	x240	F, M or P	2		S	DL1/390-IL/19QV	x255	F, M or P	3*		L
367	x245	F, M or P	1		S	DL1/390-IL-G	x275	F, M or P	3		L
368	x240	F, M or P	2		S	DL2/390-IL/19QRV	x255	F, M or P	3*		L
369	x240	F, M or P	2		S	DL2/390-IL/19QV	x255	F, M or P	3*		L
371	x245	F, M or P	1		S	DL2/390-IL-G	x275	F, M or P	3		L
372	x245	F, M or P	1		S	DL3/387-IL-19	x245	F, M or P	1		S
373	x240	F, M or P	2		S	DL3/390-IL/19QRV	x255	F, M or P	3*		L
375	x240	F, M or P	2		S	DL3/390-IL/19QV	x255	F, M or P	3*		L
377	x245	F, M or P	1		S	DL3/390-IL-G	x275	F, M or P	3		L
378	x240	F, M or P	2		S	DL3-389-IL-19	x202	F, M or P	2*		S
379	x240	F, M or P	2		S	DLI 363	x245	F, M or P	1		S
387	x245	F, M or P	1		S	DLI 369	x245	F, M or P	1		S
ST918	x228	F, M or P	1		M	DLI 373	x245	F, M or P	1		S
389	x240	F, M or P	2		S	DLI/351-IL/19K	x201	F, M or P	1		S
580	x225	F, M or P	2		S	DLI/357-IL/19L	x201	F, M or P	1		S
585	x225	F, M or P	2		S	DLI/357-IL/19R	x201	F, M or P	1		S
367-1 Military Use	x235-3	F, M or P	1		S	DLI/357MIL/19K	x295-B	F, M or P	1*	1†	S
367R	x245	F, M or P	1		S	DLI/358MIS/19K	x295	F, M or P	1*	2†	S
369-1 Military Use	x235-5	F, M or P	2		S	DLI/377-IL Twin Hose	x245	F, M or P	1		S
377R	x245	F, M or P	1		S	DLI/379 IL	x245	F, M or P	1		S
387E	x245	F, M or P	1		S	DLI/387-IL-19	x201	F, M or P	1		S
389E	x240	F, M or P	2		S	DLI/389 IL	x245	F, M or P	1		S
390DIG Series	x275	F, M or P	3		L	DLI/395-IL/19G	x280	F, M or P	3		L
390DIQ Series	x275	F, M or P	3		L	E/712-1	x270	F, M or P	1		S
390-IL/G	x275	F, M or P	3		L	E/713-1	x270	F, M or P	1		S
390IL/G,R S/N 584561 & Up	x275	F, M or P	3		L	E/734	x270	F, M or P	1		S
390MGD-19	x255	F, M or P	3*		L	E-710-1	x265	F, M or P	2		S
410-1	x270	F, M or P	1		S	EC/734	x270	F, M or P	1		S
430-1	x270	F, M or P	1		S	EST928	x226	F, M or P	1*	2†	S
490MGD	x260	F, M or P	4		L	EST929	x226	F, M or P	1*	2†	S
490MGDR	x260	F, M or P	4		L	ET910	x227	F, M or P	1*	2†	S
590 Blender	x230	F, M or P	2		L	ET912	x227	F, M or P	1*	2†	S

**NOTE:** Information provided by Bravo Systems are deemed accurate but information must be verified with Dispensers manufacturer and installing contractor. It is the sole responsibility of the end user to verify that the correct parts are ordered per installation.

† Optional SAT-1 for 2000 - 3000 Series Needed  
BRKT-8000-ADJ for 4000 - 9000 Series Needed

\* Offsets Required - Consult Factory

## WAYNE RELIANCE SERIES

WAYNE RELIANCE Model No#	Series x - - - WAYNE - 2 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large, M-Med S-Small
3/G2201D	X211D	F, M or P	1		M
3/G2201D	X212D	F, M or P	2		M
3/G2201P	X211P	F, M or P	1		M
3/G2201P	X212P	F, M or P	2		M
3/G2202D	X211D	F, M or P	1		M
3/G2202D	X212D	F, M or P	2		M
3/G2202P	X211P	F, M or P	1		M
3/G2202P	X212P	F, M or P	2		M
3/G2203D	X211D	F, M or P	1		M
3/G2203D	X212D	F, M or P	2		M
3/G2203P	X211P	F, M or P	1		M
3/G2203P	X212P	F, M or P	2		M
3/G2207D	X211D	F, M or P	1		M
3/G2207D	X212D	F, M or P	2		M
3/G2207P	X211P	F, M or P	1		M
3/G2207P	X212P	F, M or P	2		M
3/G2209D	X211D	F, M or P	1		M
3/G2209D	X212D	F, M or P	2		M
3/G2209P	X211P	F, M or P	1		M
3/G2209P	X212P	F, M or P	2		M
3/G2221D	X213	F, M or P	1		M
3/G2221D/MR W/1SAT	X213 DMR	F, M or P	1	1†	M
3/G2227 D/R	X213	F, M or P	1		M
3/G2227D/M W/2SAT	X213DM	F, M or P	1	2†	M
3/G2228 D/LM W/2SAT	X213DM	F, M or P	1	2†	M
3/G7232D/GJKM	X216	F, M or P	1		M
3/G7232D/GJKM	X216-1S	F, M or P	1	1†	M
3/G7232D/GJKM	X216-2S	F, M or P	1	2†	M
3/G7237D/GJKM	X216	F, M or P	1		M
3/G7237D/GJKM	X216-1S	F, M or P	1	1†	M
3/G7237D/GJKM	X216-2S	F, M or P	1	2†	M
3/G7037/JKLR	X215	F, M or P	1		M
G6201P/2GJK	X267-1	F, M or P	1		M
G6202P/2GJK	X267-2	F, M or P	1		M
G6205P/2GJK	X267	F, M or P	1		M
G6203P/2GJK	X268	F, M or P	2		M
G6201D/2GJK	X267-3	F, M or P	1		M
G6202D-2GJK	X267	F, M or P	1		M
G6202D-2GJK	X267-1S	F, M or P	1	1†	M
G6202D-2GJK	X267-2S	F, M or P	1	2†	M
G6203D/2GJK	X269	F, M or P	2		M
G6203D/2GJK	X269-1S	F, M or P	2	1†	M
G6203D/2GJK	X269-2S	F, M or P	2	2†	M

## WAYNE SELECT SERIES

WAYNE SELECT Model No#	Series x - - - WAYNE - 2 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large, M-Med S-Small
3/G7007/JKLR	X218	F, M or P	1		M
3/G7008/JKLR	X218	F, M or P	2		M
3/G7037/JKLR	x215	F, M or P	1		M
3/G7201D/2GJK	X217	F, M or P	1		M
3/G7201P/2JK/W	X2185	F, M or P	1*		M
3/G7202P/2JK	X2185	F, M or P	1*		M
3/G7203D/2GJK	X217T	F, M or P	2		M
3/G7203P/2JK/W	X218ST	F, M or P	2*		M
3/G7207D/2GJKR	X217	F, M or P	1		M
3/G7207P/2JK	X2185	F, M or P	1*		M
3/G7207P/2JKR/W	X2185	F, M or P	1*		M
3/G7208D/2GJK	X217	F, M or P	2		M
3/G7208P/2JK/W	X218ST	F, M or P	2*		M
3/G7221D/GJK	X219	F, M or P	1		M
3/G7227D-GJKR	X219	F, M or P	1		M
3/G7227D/GJK W/O S	X219	F, M or P	1		M
3/G7227D/GJKM W/2S	X219MZS	F, M or P	1	2†	M
3/G7227D/GJKMR	X219M1S	F, M or P	1	1†	M
3/G7227D/GJKR	X219	F, M or P	1		M
3/G7228D/GJKLMW/1S	X2192MS	F, M or P	2		M
3/G7231D/GJK	x216	F, M or P	1		M
3/G7232D/GJKM	x216	F, M or P	1		M
3/G7232D/GJKM	x216	F, M or P	1	1†	M
3/G7232D/GJKM	x216	F, M or P	1	2†	M
3/G7237D/GJKMR	x216	F, M or P	1	1†	M
3/G7238D/GJKM	x216	F, M or P	1		M
3/G7238D/GJKM	x216	F, M or P	1	1†	M
3/G7238D/GJKM	x216	F, M or P	1	2†	M
3/G7242D/2GJK	X219	F, M or P	1		M
3/G7247D/2GJK	X219	F, M or P	1		M

## WAYNE HS1 (HIGH SPEED)

WAYNE HIGH SPEED Model No#	Series x - - - WAYNE - 2 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large, M-Med S-Small
HS1V287S1/R	x224-3	F, M or P	1*		M
HS1V288S1	x224-5	F, M or P	2*		M
HS1V387D1	x223	F, M or P	1		M
HS1V387D1/F1R	x223 W/SAT	F, M or P	1*	1†	M
HS1V387D1/F2	x223 W/SAT2	F, M or P	1*	2†	M
HS1V387D1/R	x223	F, M or P	1		M
HS1V388C1/F1	x223 W/SAT2	F, M or P	1*	2†	M

† Optional SAT-1 for 2000 - 3000 Series Needed  
BRKT-8000-ADJ for 4000 - 9000 Series Needed

\* Offsets Required - Consult Factory

## WAYNE OVATION

WAYNE OVATION Model No#	Series x - - - WAYNE - 2 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large, M-Med S-Small
B-12	x252	F, M or P	2*		L
B-23	x253	F, M or P	3*		L
R-11	x251	F, M or P	1*		L
R-13	x253	F, M or P	3*		L

## WAYNE HS3 (HIGH SPEED)

WAYNE HIGH SPEED Model No#	Series x - - - WAYNE - 2 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large, M-Med S-Small
HS3/V287S/4R	x294	F, M or P	1		M
HS3/V288S/4	x294-5	F, M or P	2		M
HS3/V289S/4R	x294-5	F, M or P	2		M
HS3/V387Dx/4	x293-3	F, M or P	1	2†	M
HS3/V388Dx/4	x293-5	F, M or P	2	2†	M
HS3/V389Dx/4R	x293-5	F, M or P	2	2†	M

## WAYNE VISTA

WAYNE VISTA Model No#	Series x - - - WAYNE - 2 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large, M-Med S-Small
V386	x220-3	F, M or P	1		M
V387	x220-3	F, M or P	1		M
V388 Duo	x220-5	F, M or P	2		M
V389 PS QSY	x220-5 Pump	F, M or P	2		M
V389 Quadro	x220-5	F, M or P	2		M
V390	x275	F, M or P	3		L
V390D	x275	F, M or P	3		L
V390D/U	x275	F, M or P	3		L
V390DI/GQY	x275	F, M or P	3		L
V390P Suction	x275 Pump	F, M or P	3		L
V395D Center	x281-C	F, M or P	3		L
V395D Offset	x281-O	F, M or P	3		L
V395D/U	x231	F, M or P	2		L
V395DA/DZGQ	x281-C	F, M or P	3		L
V395-U	x231	F, M or P	2		L
V490	x260	F, M or P	4		L
V580	x220-5	F, M or P	2		M
V585	x220-5	F, M or P	2		M
V590	x230	F, M or P	2		L
V590D	x230	F, M or P	2		L
V590D/U	x231	F, M or P	2		L
V590D/U Vista	x231	F, M or P	2		L
V590D4/GOUY	x231	F, M or P	2		L
V591D	x281-C	F, M or P	3		L
X/V590D	x230	F, M or P	2		L

**NOTE:** Information provided by Bravo Systems are deemed accurate but information must be verified with Dispensers manufacturer and installing contractor. It is the sole responsibility of the end user to verify that the correct parts are ordered per installation.

## VISTA REVISION-1

WAYNE VISTA REV.1 Model No#	Series x - - - WAYNE - 2 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large, M-Med S-Small
X1/V590D	x231	F, M or P	2		L
X1/V591D	x281-C	F, M or P	3		L
1/V395D/U	x231	F, M or P	2		L
1/V590D	x231	F, M or P	2		L
1/V590D/U	x231	F, M or P	2		L
1/V390 D4-D2GQV	x275	F, M or P	3		L
1X1/V590	x231	F, M or P	2		L

## VISTA REVISION-2

WAYNE VISTA REV.2 Model No#	Series x - - - WAYNE - 2 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large, M-Med S-Small
2/V387D	x220-3	F, M or P	1		M
2/V388D	x222-5	F, M or P	2		M
2/V389D	x222-5	F, M or P	2		M
2/V390D	x275	F, M or P	3		L
2/V390D/U	x275	F, M or P	3		L
2/V399D	x275-B	F, M or P	2		L
2/V490D	x262	F, M or P	4		L
2/V580D	x222-5	F, M or P	2		M
2/V585D	x222-5	F, M or P	2		M
2/V590D	x231	F, M or P	2		L
2/V590D/U	x231	F, M or P	2		L
2/V591D	x281-C	F, M or P	3		L
2/V595D	x281-C	F, M or P	3		L
2/V595D/U	x231	F, M or P	2		L

## VISTA REVISION-3

WAYNE VISTA REV.3 Model No#	Series x - - - WAYNE - 2 - -	F-Fiber M-Metal P-Poly	Inlet (Prod)	Outlet (Sat)	L-Large, M-Med S-Small
3/V387D	x222-3	F, M or P	1		M
3/V388D	x222-5	F, M or P	2		M
3/V389D	x222-5	F, M or P	2		M
3/V390D	x275	F, M or P	3		L
3/V390D/U	x275	F, M or P	3		L
3/V399D	x275-B	F, M or P	2		L
3/V490D	x262	F, M or P	4		L
3/V490D/U	x262	F, M or P	4		L
3/V580D	x222-5	F, M or P	2		M
3/V585D	x222-5	F, M or P	2		M
3/V590D	x230	F, M or P	2		L
3/V590D/U	x230	F, M or P	2		L
3/V591D	x275	F, M or P	3		L
3/V595D	x275	F, M or P	3		L
3/V595D/U	x230	F, M or P	2		L

† Optional SAT-1 for 2000 - 3000 Series Needed  
BRKT-8000-ADJ for 4000 - 9000 Series Needed  
\* Offsets Required - Consult Factory