



# Collar Mount Single Wall Tank Sump No Lid/Fill Sump

TANK SUMPS



## SIZES:

- 42" or 48" diameter
- 32", 36", or 37" diameter reducer

\*See page 2 for dimensions drawing and chart

## MATERIALS:

- Tank-grade fiberglass material allows our product to be exposed to fuels
- No secondary protective gel coat needed

## OVERVIEW:

The octagon-shaped Collar Mount Single Wall Tank Sump is ideally configured for piping laid out in 45- and 90-degree angles. It comes standard without a lid and a 32- or 36-inch riser opening. A U-channel is used in conjunction with Bravo epoxy slurry to join the two-piece containment sump, eliminating the need for lamination. The base mounts to either a 42- or 48-inch industry standard tank collar. When connecting to a Bravo collar, no lamination is required. Optional Bravo multiport covers allow connecting 3<sup>rd</sup> party multiport manholes to this sump.


## SPECIFICATIONS:

- Two-piece configuration is height-adjustable
- Easy slurry pour channel to join the sump base and top hat saves install time
- 30-year corrosion warranty
- UL2447 listed



# Collar Mount Single Wall Tank Sump No Lid/Fill Sump

TANK SUMPS



## Recommended Parts and Accessories

K-402	Fiberglass laminating kit for 1 interior and exterior joint, 2 gallons, 90" fiberglass mat (catalyst: (2) Summer:(2) / (4) Winter) (Not returnable)
K-401	Fiberglass laminating kit for 1 interior and exterior joint 1 gallon, 45" fiberglass mat Catalyst: (1) Summer / (2) Winter) ( Not returnable)
K-410.5	Paste kit for interior and exterior joint, smooth transitions for laminations, ½ gallon (non-returnable)
K-410	Paste kit for interior and exterior joint, smooth transitions for laminations, 1 gallon (non-returnable)
EP-S1.0	1 gallon epoxy slurry kit. (non-returnable)
EP-S.75	¾ gallon epoxy slurry kit. (non-returnable)

## Additional Parts and Accessories

SH-TS	Tank Sump Sensor Holder Kit
VST-TS	VST, Vapor Stimulator Tube for Tank Sump, for Dri

### 42" Diameter, 42" Collar

Part # 32" Reducer with No Lid	Part # 36" Reducer with No Lid	Min	A	B	C	D
B421-48-S-00	B421-48-S-20	32"	48"	26"	22"	42"
B421-60-S-00	B421-60-S-20	36"	60"	38"	22"	42"
B421-72-S-00	B421-72-S-20	36"	72"	50"	22"	42"
B421-84-S-00	B421-84-S-20	36"	84"	62"	22"	42"

### 48" Diameter, 48" Collar

Part # 32" Reducer with No Lid	Part # 36" Reducer with No Lid	Min	A	B	C	D
B481-48-S-00	B481-48-S-20	32"	48"	26"	22"	48"
B481-60-S-00	B481-60-S-20	36"	60"	38"	22"	48"
B481-72-S-00	B481-72-S-20	36"	72"	50"	22"	48"
B481-84-S-00	B481-84-S-20	36"	84"	62"	22"	48"

### 48" Diameter, 42" Collar

Part # 32" Reducer with No Lid	Part # 36" Reducer with No Lid	Min	A	B	C	D
B487-48-S-00	B487-48-S-20	32"	48"	26"	22"	42"
B487-60-S-00	B487-60-S-20	36"	60"	38"	22"	42"
B487-72-S-00	B487-72-S-20	36"	72"	50"	22"	42"
B487-84-S-00	B487-84-S-20	36"	84"	62"	22"	42"

Innovative Solutions for Secondary Containment

800-282-7286 | [www.sbravo.com](http://www.sbravo.com)



# Collar Mount Single Wall Tank Sump No Lid/Fill Sump

TANK SUMPS



Multiport Covers (order sump with no lid plus multiport cover as a separate line item)

Bucket Configuration	Reducer Size	Part #	Snap-Lock	Latch
OPW Diesel 36" Multiport Cover for OPW or EMCO-Wheaton single bucket spill containment 8" offset (COPWDS-37)	36"	LF-15		X
OPW Diesel -32" Multiport cover for OPW or EMCO-Wheaton single bucket spill containment 8" offspring (COPWDS-33)	32"	LF-09		X
OPW Dual Buckets 32" Multiport cover for OPW or EMCO-Wheaton double bucket spill containment 16" on center (COPWS-37)	32"	LF-08		X
OPW Dual Buckets 36" Multiport cover for OPW or EMCO-Wheaton double bucket spill containment 16" on center (COPWS-33)	36"	LF-14		X
Fiberlite only Multiport Fill, Snap-Lock 36", -(1-15" ring 8" left, 1-15" ring right -16" on center) test port to match Fiberlite	36"	LF-24	X	
Fiberlite only Multiport fill, Snap-Lock 36" (1-15" ring 8" left) test port to match Fiberlite	36"	LF-25	X	
Fiberlite only Multiport fill, Snap-Lock 36" (1-15" ring 8" left) test port to match Fiberlite.	36"	LF-26	X	
32" Multiport Cover for Phil-Tite dual bucket spill containment 16" on center (CPTS-33)	32"	LF-06		X
Phil-Tite Diesel -32" Multiport cover for Phil-Tite single bucket spill containment 8" offset. (CPTDS-33)	32"	LF-07		X